

Artisan



Artisan

Available Items

Ceramic Wall Tile

Marl



13x32 Field Tile



13x32 3D Marl



13x32 Graphic Marl



13x32 Recreate Marl



13x32 Line Marl



6x32 Tavella Marl
- Mixed Textures

Porcelain Floor Tile

Marl



24x24 Field Tile


Oyster



13x32 Field Tile



13x32 3D Oyster



13x32 Graphic Oyster



13x32 Recreate Oyster



13x32 Line Oyster



6x32 Tavella Oyster - Mixed Textures

Oyster



24x24 Field Tile

Artisan

Available Items

Ceramic Wall Tile

Alum



13x32 Field Tile

Hemp



13x32 Field Tile

4x16 Brick Alum



4x16 Brick Design



4x16 Brick Hemp



3x32 Bullnose Available:

Alum

Hemp

Marl

Oyster











Artisan

Technical Data

Ceramic Wall Tile

CARATTERISTICHE TECNICHE . TECHNICAL DATA

RIVESTIMENTI IN PASTA BIANCA RETTIFICATI WHITE BODY WALL TILES RECTIFIED

ISO 13006BIII EN 14411/L	CARATTERISTICHE TECNICHE TECHNICAL DATA CARACTERISTIQUES TECHNIQUES TECHNISCHE DATEN CARACTERÍSTICAS TÉCNICAS	TIPO DI PROVA STANDARD OF TEST NORME DU TEST TESTNORM TIPO DE PRUEBA	
	DIMENSIONI SIZES DIMENSIONS ABMESSUNGEN DIMENSIONES	ISO 10545.2	A NORMA ACCORDING TO NORM SELON LA NORME NACH NORM CONFORME
	ASSORBIMENTO D'ACQUA WATER ABSORPTION ABSORPTION D'EAU WASSERAUFNAHME ABSORCIÓN DEL AGUA	ISO 10545.3	> 10%
	SFORZO DI ROTTURA MODULUS OF RUPTURE EFFORT DE RUPTURE BRUCHLAST ESFUERZO DE ROTURA RESISTENZA A FLESSIONE BREAKING STRENGTH RESISTANCE A LA FLEXION BIEGEFESTIGKEIT RESISTENCIA A LA FLEXIÓN	ISO 10545.4	S ≥ 600 N R ≥ 12 N/MM ²
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE THERMAL EXPANSION COEFFICIENT COEFFICIENT DE DILATATION THERMIQUE LINEARE WÄRMEAUSDEHNUNGSKOEFFIZIENT COEFICIENTE DE DILATACION TERMICA LINEAR	ISO 10545.8	A NORMA ACCORDING TO NORM SELON LA NORME NACH NORM CONFORME
	RESISTENZA AL CAVILLO CRAZING RESISTANCE RESISTANCE A LA CRAQUELURE WIDERSTANDGEGEN HAARRISS RESISTENCIA AL CUARTEADO	ISO 10545.11	GARANTITA GUARANTEED GARANTIE GARANTIERT GARANTIZADA
	RESISTENZA ALL'ATTACCO CHIMICO CHEMICAL RESISTANCE RESISTANCE CHIMIQUE BESTÄNDIGKEIT GEGEN CHEMICALIEN RESISTENCIA AL ATAQUE QUIMICO	ISO 10545.13	A NORMA ACCORDING TO NORM SELON LA NORME NACH NORM CONFORME
	RESISTENZA ALLE MACCHIE STAINS RESISTANCE RESISTANCE AUX TACHES FLECKENBESTÄNDIGKEIT RESISTENCIA A LAS MANCHAS	ISO 10545.14	A NORMA ACCORDING TO NORM SELON LA NORME NACH NORM CONFORME

Escluso pezzi speciali ed elementi decorativi

With the exception of special pieces and decors . A l'exception de pièces spéciales et éléments décoratifs
Ausschließlich Formstücke und Dekorteile . Excluido piezas especiales y elementos decorativos











Artisan

Technical Data

Porcelain Tile

CARATTERISTICHE TECNICHE . TECHNICAL DATA

PAVIMENTI IN GRES FINE PORCELLANATO RETTIFICATI FINE PORCELAIN STONWARE FLOOR TILES RECTIFIED

ISO 13006 B1a EN 14411/G	CARATTERISTICHE TECNICHE TECHNICAL DATA CARACTERISTIQUES TECHNIQUES TECHNISCHE DATEN CARACTERÍSTICAS TÉCNICAS	TIPO DI PROVA STANDARD OF TEST NORME DU TEST TESTNORM TIPO DE PRUEBA	
	DIMENSIONI SIZES DIMENSIONS ABMESSUNGEN DIMENSIONES	ISO 10545.2	A NORMA ACCORDING TO NORM SELON LA NORME NACH NORM CONFORME
	ASSORBIMENTO D'ACQUA WATER ABSORPTION ABSORPTION D'EAU WASSERAUFNAHME ABSORCIÓN DEL AGUA	ISO 10545.3	≤ 0,2%
	SFORZO DI ROTTURA MODULUS OF RUPTURE EFFORT DE RUPTURE BRUCHLAST ESFUERZO DE ROTURA RESISTENZA A FLESSIONE BREAKING STRENGTH RESISTANCE A LA FLEXION BIEGEFESTIGKEIT RESISTENCIA A LA FLEXION	ISO 10545.4	S ≥ 1300 N R ≥ 35 N/MM ²
	RESISTENZA AGLI SHOCK TERMICI RESISTANCE TO THERMAL SHOCK RESISTANCE AUX CHOQUES THERMIQUE TEMPERATURWECHSELBESTÄNDIGKEIT RESISTENCIA A LOS CAMBIOS TERMICOS	ISO 10545.9	GARANTITA GUARANTEED GARANTIE GARANTIERT GARANTIZADA
	RESISTENZA AL GELO FROST RESISTANCE RESISTANCE AU GEL FROSTBESTÄNDIGKEIT RESISTENCIA A LA HELADA	ISO 10545.12	GARANTITA GUARANTEED GARANTIE GARANTIERT GARANTIZADA
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE THERMAL EXPANSION COEFFICIENT COEFFICIENT DE DILATATION THERMIQUE LINEARE WÄRMEAUDEHNUNGSKOEFFIZIENT COEFICIENTE DE DILATACION TERMICA LINEAR	ISO 10545.8	A NORMA ACCORDING TO NORM SELON LA NORME NACH NORM CONFORME
	RESISTENZA ALL'ATTACCO CHIMICO CHEMICAL RESISTANCE RESISTANCE CHIMIQUE BESTÄNDIGKEIT GEGEN CHEMICALIEN RESISTENCIA AL ATAQUE QUIMICO	ISO 10545.13	A NORMA ACCORDING TO NORM SELON LA NORME NACH NORM CONFORME
	RESISTENZA ALLE MACCHIE STAINS RESISTANCE RESISTANCE AUX TACHES FLECKENBESTÄNDIGKEIT RESISTENCIA A LAS MANCHAS	ISO 10545.14	A NORMA ACCORDING TO NORM SELON LA NORME NACH NORM CONFORME
	RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE RESISTANCE AU GLISSEMENT RUTSCHFESTIGKEIT RESISTENCIA AL DESLIZAMIENTO	ANSI A 137.1 - DCOF (Coefficiente di attrito dinamico) (Coefficient of kinetic friction) DIN 51130	WET > 0,42 R9

Escluso pezzi speciali ed elementi decorativi

With the exception of special pieces and decors . A l'exception de pièces spéciales et éléments décoratifs
Ausschließlich Formstücke und Dekorteile . Excluido piezas especiales y elementos decorativos