

# PIETRA BLEND

---

# COLLECTION



Wayne Tile  
Company

[waynetile.com](http://waynetile.com)



**WHITE**



WHITE



**WHITE**



PEARL



PEARL





PEARL



A photograph showing a grey tiled floor. Two orange upholstered chairs with light-colored wooden frames are positioned on the right side of the frame. A wooden table is partially visible on the far right edge. The tiles are large and square, with a subtle texture and slight variations in grey tones. The lighting is soft, creating gentle shadows from the chairs.

**GREY**



# PIETRA BLEND

## Available Items



12x24 Grey



12x24 Waves Grey



4x24 Deco Blend Grey



12x24 Pearl



12x24 Waves Pearl



4x24 Deco Blend Pearl



12x24 White



12x24 Waves White



4x24 Deco Blend White

## Hexagon Mosaic



## Basketweave Mosaic



## Octagon Mosaic





WHITE

PEARL

GREY

IVORY

CREAM

# PIETRA BLEND



120X120 (48"X48") RET  
1F11 WHITE \*  
1F13 PEARL \*



60X120 (24"X48") RET \*  
4L99 WHITE  
4L98 IVORY  
4L97 PEARL  
4L96 GREY  
4L95 CREAM

60X120 (24"X48") LUX RET \*  
41A6 WHITE  
41A7 IVORY  
41A8 PEARL  
41A9 GREY  
41B1 CREAM



60X60 (24"X24") RET  
7N44 WHITE \*  
7N45 IVORY \*  
7N46 PEARL \*  
7N47 GREY \*  
7N48 CREAM \*



60X60 (24"X24") LUX RET  
6Y37 WHITE \*  
6Y38 IVORY \*  
6Y39 PEARL \*  
6Y36 GREY \*  
6Y35 CREAM \*



60X60 (24"X24") RET ANTISLIP  
7T15 WHITE \*  
7T14 IVORY \*  
7T13 PEARL \*  
7T12 GREY \*  
7T11 CREAM \*



10X60 (4"X24")  
5A18 WHITE  
5A19 IVORY \*  
5A11 PEARL  
5A12 GREY  
5A13 CREAM \*



STRIPES 30X60 (12"X24") RET  
6FV6 WHITE \*  
6FV7 IVORY \*  
6FV8 PEARL \*  
6FV9 GREY \*  
6FZ1 CREAM \*



WAVES 30X60 (12"X24") RET  
6FK1 WHITE  
6FK2 IVORY \*  
6FK3 PEARL  
6FK4 GREY  
6FK5 CREAM \*



MOSAICO SPINA 2.3X6.5 (1"X2 1/2")  
FOGLIO 30X30  
N7V1 WHITE \*  
N7V2 IVORY \*  
N7V3 PEARL \*  
N7V4 GREY \*  
N7V5 CREAM \*



MOSAICO 5X5 (2"X2")  
FOGLIO 30X30  
N3S4 WHITE \*  
N3S5 IVORY \*  
N3S6 PEARL \*  
N3S7 GREY \*  
N3S8 CREAM \*




DEC. BLEND 10X60 (4"X24")  
5A19 WHITE  
5A11 IVORY \*  
5A12 PEARL  
5A13 GREY  
5A14 CREAM \*




BATTISCOPIA 7X30 (3"X12")  
6011 WHITE  
6012 IVORY \*  
6013 PEARL  
6014 GREY  
6015 CREAM \*



BATTISCOPIA 7X60 (3"X24")  
5B98 WHITE \*  
5B99 IVORY \*  
5B94 PEARL  
5B95 GREY \*  
5B90 CREAM \*















GRADINO 30X60 (12"X24")  
7L16 WHITE \*  
7L15 IVORY \*  
7L14 PEARL \*  
7L13 GREY \*  
7L12 CREAM \*



ANG. GRADINO 30X30 (12"X12")  
1J56 WHITE \*  
1J57 IVORY \*  
1J58 PEARL \*  
1J59 GREY \*  
1J11 CREAM \*

# PIETRA BLEND

## Technical Data

	Spessore	Variazione cromatica	Formatura del prodotto	Assorbimento d'acqua	Carico di rottura	Durezza della superficie	Resistenza agli sbalzi termici	Resistenza al cavillo	Conducibilità Termica	Cessione Piombo Cadmio	Resistenza chimica	PEI Resistenza all'abrasione superficiale	Resistenza al gelo	Coefficiente dinamico di frizione	Resistenza allo scivolamento
	Thickness	Shade variation	Product Moulding	Water absorption	Modulus of rupture	Hardness of the surface	Resistance to thermal shock	Crazing resistance	Electrical Conductivity	Emission Lead Cadmium	Chemical resistance	Resistance to surface abrasion	Frost resistance	Dynamic coefficient of friction	Slip resistance
				ISO 10545-3	ISO 10545-4	E.N. 101 MOHS	ISO 10545-9	ISO 10545-11	UNI E.N. 1745	ISO 10545-15	ISO 10545-13	ISO 10545-7	ISO 10545-12	DICOF	DIN 51130 DIN 51097
									CT	Pb / Cd					
Feel	10 mm	V2	RET	< 0,5 % Bla	> 43 N/mm <sup>2</sup>	-	Garantita Guaranteed	Garantita Guaranteed	0,675 < CT < 0,715 W/mk	Pb < 0,1 Cd < 0,01	GA M GLA (M) GHA (M)	5	Garantita Guaranteed	> 0,42	R10 A+B
Feel  Lux	10 mm	V2	RET	< 0,5 % Bla	> 43 N/mm <sup>2</sup>	4	Garantita Guaranteed	Garantita Guaranteed	0,675 < CT < 0,715 W/mk	Pb < 0,1 Cd < 0,01	-	-	Garantita Guaranteed	-	-
Feel Antislip	10 mm	V2	RET	< 0,5 % Bla	≥ 43 N/mm <sup>2</sup>	-	Garantita Guaranteed	Garantita Guaranteed	0,675 < CT < 0,715 W/mk	Pb < 0,1 Cd < 0,01	GA M GLA (M) GHA (M)	5	Garantita Guaranteed	> 0,42	R11 A+B+C