

VETRO FLOOR

COLLECTION



Wayne Tile
Company

waynetile.com

VETRO FLOOR

Available Colors



VENATO XL




FOSCO GREY XL



CLOUD XL



SKY BLUE XL



INDIGO XL



OLDEN XL



1" MISTY MATTE



1" FOSSIL BLEND



1" COTTON BLEND



1" VENATO



1" WHITE MATTE



1" BLACK MATTE




1" YOAR



1" CREAM



1" LUBE




1" NORA



1" PALMA



1" DENVER



1" YUMA



**1" White and Black
Pattern 1**



**1" White and Black
Pattern 2**



SKY BLUE



CLOUD



MISTY MATTE



FOSCO INVERNO GREY



OLDEN

Vetro Floor



200434 Hex XL Indigo Indigo

#Stone 01

Size	Color	Size area	Finish	Material
30x30cm	Indigo	15m ²	Yes	Glass

• Made in Spain • 100% Recycled Glass • Sustainable Products



Vetro Floor



200354 Hex Snow Frost

#Stone 02

Size	Color	Size area	Finish	Material
30x30cm	Snow Frost	15m ²	Yes	Glass

• Made in Spain • 100% Recycled Glass • Sustainable Products



Vetro Floor



200349 Hex Venato White Marble

#Stone 03

Size	Color	Size area	Finish	Material
30x30cm	White Marble	15m ²	Yes	Glass

• Made in Spain • 100% Recycled Glass • Sustainable Products



Vetro Floor



200362 Hex Snow Gusto

#Stone 04

Size	Color	Size area	Finish	Material
30x30cm	Snow Gusto	15m ²	Yes	Glass

• Made in Spain • 100% Recycled Glass • Sustainable Products





PALMA





NORA

VETRO FLOOR

Technical Data

SUITABILITY AREA PRODUCT & COMPOSITION GUIDE

Wall	Floor	Wet areas	Pools	Material
Int / Ext	Residential	Yes	Yes	Glass

TECHNICAL CHARACTERISTICS

Test UNE-EN-ISO 10545-3 Water Absorption	Test UNE-EN-ISO-101-92=101 Surface hardness. Mohs	Test UNE-EN-ISO 10545-9 Resistance to thermal shocks	Test UNE-EN-ISO 10545-12 Frost resistance	Test UNE-EN-ISO 10545-13:1998 Resistance to chemical attack			
				Domestic products	Pool water additives	Low acid and alkalins	High acid and alkalins
None	4 / 5 ¹	Resistant	Resistant	GA	GA	GLA	GHA
Test UNE-EN-ISO 10545-14 Resistance to staining	Test UNE-EN-ISO 10545-11=1997 Cracking	DIN 51094 Colour Stability on exposure to light and UV rays	DCOF Wet Dynamic Coefficient of Friction ANSI A 137.1 Standard		DIN 51130:2004 SLIP Resistance wearing shoes	DIN 51097 SLIP Resistance in bare feet	Test UNE-ENV 12633:2003 (CTE) Anti skid coefficient, suitable for outdoor use and swimming pools.
Class 5	Resistant	Resistant	≥ 0,60 ¹		R11 ¹	Class C ¹	Class 3 ¹

¹ Matte finish