

# URBAN

---

# COLLECTION



Wayne Tile  
Company

[waynetile.com](http://waynetile.com)



**FLOOR GREY**

**WALL GREY GRAFFITI**



GREY



WHITE



**MULTICOLOR**



**MULTICOLOR**



**GREY GRAFFITI**

# URBAN

## STOCK ITEMS

R10



0,5mm

0,5mm



V4



WHITE

MULTICOLOR

60x120 . 24"x48"  
30x60 . 12"x24"  
9,9x30,2 . 4"x12"

60x120 . 24"x48"  
30x60 . 12"x24"  
9,9x30,2 . 4"x12"

GREY

GREY DECORO GRAFFITI

60x120 . 24"x48"  
30x60 . 12"x24"  
9,9x30,2 . 4"x12"

60x120 . 24"x48"

DECORI - DECORS - DECORS

TRIM



MOSAICO  
36-F2  
(5x5)

30x30  
12"x12"

NATURALE  
NATURALE  
NATURALE

WHITE

GREY  
MULTICOLOR

12,04



MOSAICO  
ESAGONI

26x30  
10"x12"

NATURALE  
NATURALE  
NATURALE

WHITE

GREY  
MULTICOLOR

20,06



BATTISCOPA

7,5x60  
3"x24"

RETTIFICATO  
RETTIFICATO  
RETTIFICATO

WHITE

GREY  
MULTICOLOR

7,41





# URBAN

## SPECIAL ORDER ITEMS

WHITE  
Decoro Graffiti 120x270



MULTICOLOR Decoro  
Graffiti 120x270




GREY  
Decoro Graffiti 120x270



WHITE  
Decoro Graffiti  
60x120



MULTICOLOR  
Decoro Graffiti  
60x120



160x320  
63"x126"

8 mm

LAPPATO CAMPO  
PIENO SEMI-POLISHED  
SEMI-POLI BRILLANT  
GELÄPPT

WHITE  
GREY  
MULTICOLOR

123,46

120x270  
48"x106"

8 mm

LAPPATO CAMPO  
PIENO SEMI-POLISHED  
SEMI-POLI BRILLANT  
GELÄPPT

WHITE  
GREY  
MULTICOLOR

98,77

120x270  
48"x106"

8 mm

RETTIFICATO  
REGRAPPÉ  
REGRAPPÉ  
REGRAPPÉ

R10

WHITE  
GREY  
MULTICOLOR

74,07

DECORO GRAFFITI  
120x270  
48"x106"

8 mm

RETTIFICATO  
REGRAPPÉ  
REGRAPPÉ  
REGRAPPÉ

R10

WHITE  
GREY  
MULTICOLOR

86,42

120x120  
48"x48"

8 mm

RETTIFICATO  
REGRAPPÉ  
REGRAPPÉ  
REGRAPPÉ

R10

WHITE  
GREY  
MULTICOLOR

58,64

60x120  
24"x48"

8 mm

LAPPATO CAMPO  
PIENO SEMI-POLISHED  
SEMI-POLI BRILLANT  
GELÄPPT

WHITE  
GREY  
MULTICOLOR

58,64

60x60  
24"x24"

8 mm

LAPPATO CAMPO  
PIENO SEMI-POLISHED  
SEMI-POLI BRILLANT  
GELÄPPT

WHITE  
GREY  
MULTICOLOR

47,84

60x60  
24"x24"

8 mm

RETTIFICATO  
REGRAPPÉ  
REGRAPPÉ  
REGRAPPÉ

R10

WHITE  
GREY  
MULTICOLOR

29,32

### TRIM

BATTISCOPIA

6,5x120  
2 1/2"x48"

LAPPATO CAMPO  
PIENO SEMI-POLISHED  
SEMI-POLI BRILLANT  
GELÄPPT

WHITE  
GREY  
MULTICOLOR

24,07



BATTISCOPIA

6,5x120  
2 1/2"x48"

RETTIFICATO  
REGRAPPÉ  
REGRAPPÉ  
REGRAPPÉ

WHITE  
GREY  
MULTICOLOR

18,52



BATTISCOPIA

7,5x60  
3"x24"

LAPPATO CAMPO  
PIENO SEMI-POLISHED  
SEMI-POLI BRILLANT  
GELÄPPT

WHITE  
GREY  
MULTICOLOR

8,64



# URBAN

<b>CARATTERISTICHE TECNICHE</b> <b>Technical Characteristics / Caractéristiques Techniques</b>			
CLASSIFICAZIONE Classification/Classification/Klassifizierung	UNI EN 14411 / ISO 13006	App. G B I a / Annex G B I a	
LUNGHEZZA E LARGHEZZA Length and width/Longueur et largeur/Länge und Breite	EN ISO 10545/2	CONFORME In accordance conforme	
ORTOGONALITÀ Wedging/Orthogonalité/Rechtwinkeligkeit			
SPESSORE Thickness/Epaisseur/Dicke			
RETTILINEITÀ DEI LATI Linearity/Rectitude/Geradheit der Kanten			
PLANARITÀ Warpage/Planéité/Ebenflächigkeit			
ASPETTO Aspect/Appearance/Aspekt			
ASSORBIMENTO D'ACQUA Water absorption/Absorption d'eau/Wasseraufnahme	EN ISO 10545/3	≤0,5%	Valore massimo singolo 0,6%
MODULO DI ROTTURA Modul of ropture/ Module de rupture/ Bruchlast	EN ISO 10545/4	≥35 N/mm <sup>2</sup>	Valore singolo minimo 32
SFORZO DI ROTTURA Breaking strength/Résistance à la rupture/ Bruchkraft		≥1300 N Sp, Th, Ep, Dk ≥7,5mm.	
		≥700 N Sp, Th, Ep, Dk <7,5mm	
DETERMINAZIONE DELLA RESISTENZA ALL'URTO Determination of impact resistance/Résistance aux chocs/Schlagfestigkeit	EN ISO 10545/5	> 0,55	
RESISTENZA ALL'ABRASIONE SUPERFICIALE Abrasion resistance/Résistance à l'abrasion/Widerstand Tiefenverschleiss	EN ISO 10545/7	II IV	
COEFFICIENTE DI DILATAZIONE TERMICA LINEARE Thermal expansion coefficient/Coefficient de dilatation thermique/Ausdehnungskoeffizient	EN ISO 10545/8	7 x 10 <sup>-6</sup> /°C	
RESISTENZA AGLI SBALZI TERMICI Thermal shock resistance/Résistance au choc thermique/Temperaturwechselbeständigkeit	EN ISO 10545/9	RESISTENTI Resistant Résistant Bestaendig	
DETERMINAZIONE DELLA DILATAZIONE DOVUTA ALL'UMIDITA' Determination of moisture expansion/Dilatation due à l'humidité/Dilatation Feuchtigkeit	EN ISO 10545/10	0,1 mm/m	
DETERMINAZIONE DELLA RESISTENZA AL CAVILLO Determination of crazing resistance/Resistance au fissuration/Widerstand gegen den Durfen	EN ISO 10545/11	RESISTENTI Resistant Résistant Bestaendig	
RESISTENZA AL GELO Frost resistance/Résistance au gel/Frostsicherheit	EN ISO 10545/12	RESISTENTI Resistant Résistant Bestaendig	
RESISTENZA AGLI AGENTI CHIMICI: Resistance to chemicals/Résistance aux acides et aux bases/Säure- und Laugenbeständigkeit	EN ISO 10545/13	Min Classe B	
RESISTENZA ALLE MACCHIE Resistance to staining/Résistance au tachege/ Fleckenbeständigkeit	EN ISO 10545/14	Min Classe 3	
RESISTENZA AL FUOCO	UNI EN ISO	Class A1, A1	